

1:1 dB Transformer 5 - 400 MHz

Rev. V5

Features


- 1:1 Transformer with Centre Tap
- Surface Mount Package
- Excellent Temperature Stability
- 260°C Reflow Compatible
- RoHS* Compliant & Lead Free
- Available on Tape & Reel

Description

The MABA-010721-CF1670 is a 1:1 RF transformer in a surface mount package.

Ideally suited for broadband CATV applications.

Schematic



Pin Configuration³

Pin #	Function
1	Output 1
2	No Connection
3	Output 2
4	Ground
5	Not connected
6	Input

3. MACOM recommends connecting unused package pins to ground.

Electrical Specifications: $P_{IN} = 0 \text{ dBm}$, $T_A = 25^\circ\text{C}$, $Z_0 = 75 \Omega$

Parameter	Frequency	Units	Min.	Typ.	Max.
Insertion Loss 1 (Pin 6 to Pin 1)	5 - 400 MHz	dB	—	0.5	0.6
Insertion Loss 2 (Pin 6 to Pin 3)	5 - 400 MHz	dB	—	0.4	0.6
Amplitude Balance	5 - 400 MHz	dB	—	0.08	± 0.5
Phase Balance	5 - 400 MHz	dB	—	0.4	± 2.0
Input Return Loss (Pin 6)	5 - 200 MHz	dB	20	28	—
	200 - 400 MHz	dB	19	22	—

Ordering Information^{1,2}

Part #	Description
MABA-010721-CF1670	900 piece reel
MABA-010721-CF16TB	customer evaluation board

1. Reference Application Note M513 for reel size information.
2. All sample boards include 5 loose parts.

* Restrictions on Hazardous Substances, compliant to current RoHS EU directive.

Recommended Maximum Ratings^{4,5}

Parameter	Value
Input power	250 mW
DC Current	1200 mA
Operating Temperature	-40°C to +85°C
Storage Temperature	-55°C to +125°C

4. Exceeding any one or combination of these limits may cause permanent damage to this device.
5. MACOM does not recommend sustained operation near these survivability limits.

MACOM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. Visit www.macom.com for additional data sheets and product information.

For further information and support please visit: <https://www.macom.com/support>






MABA-010721-CF1670



1:1 dB Transformer
5 - 400 MHz


Rev. V5

Typical Performance Curves:⁶ $P_{IN} = 0 \text{ dBm}$, $T_A = 25^\circ\text{C}$, $Z_0 = 75 \Omega$




6. Temperature plots available on request


Application Circuit



Recommended Board Layout



Outline Drawing^{7,8,9,10}




- 7. Dimensions in mm.
- 8. Tolerance: ± 0.2 mm unless otherwise noted.
- 9. Model number and lot code printed on reel.
- 10. Finish: Electroless Nickel Immersion Gold.

Tape & Reel Information

Parameter	Units	Value
Qty per reel	-	900
Reel Size	mm	330
Tape Width	mm	16.00
Pitch	mm	12.00
Orientation	-	F15
Reference Application Note ANI-019 for orientation		

Carrier Tape Orientation



MACOM Technology Solutions Inc. All rights reserved.

Information in this document is provided in connection with MACOM Technology Solutions Inc ("MACOM") products. These materials are provided by MACOM as a service to its customers and may be used for informational purposes only. Except as provided in MACOM's Terms and Conditions of Sale for such products or in any separate agreement related to this document, MACOM assumes no liability whatsoever. MACOM assumes no responsibility for errors or omissions in these materials. MACOM may make changes to specifications and product descriptions at any time, without notice. MACOM makes no commitment to update the information and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to its specifications and product descriptions. No license, express or implied, by estoppels or otherwise, to any intellectual property rights is granted by this document.

THESE MATERIALS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, RELATING TO SALE AND/OR USE OF MACOM PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, CONSEQUENTIAL OR INCIDENTAL DAMAGES, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. MACOM FURTHER DOES NOT WARRANT THE ACCURACY OR COMPLETENESS OF THE INFORMATION, TEXT, GRAPHICS OR OTHER ITEMS CONTAINED WITHIN THESE MATERIALS. MACOM SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES OR LOST PROFITS, WHICH MAY RESULT FROM THE USE OF THESE MATERIALS.

MACOM products are not intended for use in medical, lifesaving or life sustaining applications. MACOM customers using or selling MACOM products for use in such applications do so at their own risk and agree to fully indemnify MACOM for any damages resulting from such improper use or sale.