


Features

- 75 Ohm
- SMT unit
- RoHS Compliant

Description

The MAFL-011014 is a low cost, surface mount diplex filter unit designed for CATV applications, DTV and DBS applications.

Functional Schematic



Ordering Information

Part Number	Package
MAFL-011014	200 piece reel

Pin Configuration

Pin Number	Function
1 - 6, 8, 10-17, 19, 20	Ground
7	High Pass Port
9	Low Pass Port
18	Common Port
-	Not connected

Electrical Specifications:

$T_A = 25^\circ\text{C}$, $Z_0 = 75 \Omega$

Parameter	Units	Min.	Typ.	Max.
Insertion Loss 5 - 65 MHz 88 - 1002 MHz	dB	—	0.5	1.2 1.2
Filter Rejection 5 - 65 MHz 88 - 1002 MHz	dB	50 50	55 55	—
Filter Return Loss 5 - 65 MHz 88 - 1002 MHz	dB	15 12	20 20	—
Filter Isolation 5 - 65 MHz 88 - 1002 MHz	dB	50 50	55 50	—

Recommended Maximum Ratings


Parameter	Value
Storage Temperature	-40°C to +85°C
Operating Temperature	-40°C to +85°C
DC Current	30mA
RF Power	250mW

CATV Diplex Filter 5-65 / 88-1002MHz


Rev. V2

Typical Performance: $T_A = 25^\circ\text{C}$, $Z_0 = 75\Omega$


Input Port Return Loss




High Pass Filter Insertion Loss



Low Pass Filter Insertion Loss




Filter Isolation




Outline Drawing


TOP VIEW




SIDE VIEW



PCB TOP VIEW





PCB BOTTOM VIEW



Dimensions in mm

Recommended PCB Configuration





Tape & Reel Information

Parameter	Units	Value
Qty per reel	-	200
Reel Size	mm	330
Tape Width	mm	56.00
Pitch	mm	40.00
Ao	mm	30.3
Bo	mm	30.3
Ko	mm	6.4
Orientation	-	F30
Reference Application Note ANI-019 for orientation		

M/A-COM Technology Solutions Inc. All rights reserved.

Information in this document is provided in connection with M/A-COM Technology Solutions Inc ("MACOM") products. These materials are provided by MACOM as a service to its customers and may be used for informational purposes only. Except as provided in MACOM's Terms and Conditions of Sale for such products or in any separate agreement related to this document, MACOM assumes no liability whatsoever. MACOM assumes no responsibility for errors or omissions in these materials. MACOM may make changes to specifications and product descriptions at any time, without notice. MACOM makes no commitment to update the information and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to its specifications and product descriptions. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document.

THESE MATERIALS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, RELATING TO SALE AND/OR USE OF MACOM PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, CONSEQUENTIAL OR INCIDENTAL DAMAGES, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. MACOM FURTHER DOES NOT WARRANT THE ACCURACY OR COMPLETENESS OF THE INFORMATION, TEXT, GRAPHICS OR OTHER ITEMS CONTAINED WITHIN THESE MATERIALS. MACOM SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES OR LOST PROFITS, WHICH MAY RESULT FROM THE USE OF THESE MATERIALS.

MACOM products are not intended for use in medical, lifesaving or life sustaining applications. MACOM customers using or selling MACOM products for use in such applications do so at their own risk and agree to fully indemnify MACOM for any damages resulting from such improper use or sale.